



FACOM 44.XSLSM - SLS Tethered Metric Open Jaw Spanner

44.6X7SLS, 44.8X9SLS, 44.10X11SLS, 44.12X13SLS, 44.14X15SLS, 44.16X17SLS, 44.18X19SLS, 44.21X23SLS, 44.22X24SLS, 44.24X27SLS, 44.30X32SLS, 44.34X36SLS, 44.36X41SLS

PRODUCT NAME	CODE	SIZE
FACOM 44.6X7SLS - 6x7mm SLS Tethered Metric Open Jaw Spanner	44.6X7SLS	6x7mm
FACOM 44.8X9SLS - 8x9mm SLS Tethered Metric Open Jaw Spanner	44.8X9SLS	8x9mm
FACOM 44.10X11SLS - 10x11mm SLS Tethered Metric Open Jaw Spanner	44.10X11SLS	10x11mm
FACOM 44.12X13SLS - 12x13mm SLS Tethered Metric Open Jaw Spanner	44.12X13SLS	12x13mm
FACOM 44.14X15SLS - 14x15mm SLS Tethered Metric Open Jaw Spanner	44.14X15SLS	14x15mm

PRODUCT NAME	CODE	SIZE
<u>FACOM 44.16X17SLS - 16x17mm SLS Tethered Metric Open Jaw Spanner</u>	44.16X17SLS	16x17mm
<u>FACOM 44.18X19SLS - 18x19mm SLS Tethered Metric Open Jaw Spanner</u>	44.18X19SLS	18x19mm
<u>FACOM 44.21X23SLS - 21x23mm SLS Tethered Metric Open Jaw Spanner</u>	44.21X23SLS	21x23mm
<u>FACOM 44.22X24SLS - 22x24mm SLS Tethered Metric Open Jaw Spanner</u>	44.22X24SLS	22x24mm
<u>FACOM 44.24X27SLS - 24x27mm SLS Tethered Metric Open Jaw Spanner</u>	44.24X27SLS	24x27mm
<u>FACOM 44.30X32SLS - 30x32mm SLS Tethered Metric Open Jaw Spanner</u>	44.30X32SLS	30x32mm
<u>FACOM 44.34X36SLS - 34x36mm SLS Tethered Metric Open Jaw Spanner</u>	44.34X36SLS	34x36mm
<u>FACOM 44.36X41SLS - 36x41mm SLS Tethered Metric Open Jaw Spanner</u>	44.36X41SLS	36x41mm

DESCRIPTION

FACOM 44.XSLSM - SLS Tethered Metric Open Jaw Spanner

Features

- Tool equipped with a FACOM SLS attachment solution preventing any risk of accidental falls
- The crimped sliding cable solution selected and tested by FACOM maintains user ergonomics
- The open ends are slimmer than a standard combination wrench for better accessibility
- Heads hinged at 15°
- Metric sizes - 6 - 41mm
- Satin chrome finish