



FACOM 467S.XSLSM - SLS Tethered Metric Stubby Ratchet Combination Spanner

467S.7SLS, 467S.8SLS, 467S.9SLS, 467S.10SLS, 467S.11SLS, 467S.12SLS, 467S.13SLS, 467S.14SLS, 467S.15SLS, 467S.16SLS, 467S.17SLS

PRODUCT NAME	CODE	SIZE
FACOM 467S.7SLS - 7mm SLS Tethered Metric Stubby Ratchet Combination Spanner	467S.7SLS	7mm
FACOM 467S.8SLS - 8mm SLS Tethered Metric Stubby Ratchet Combination Spanner	467S.8SLS	8mm
FACOM 467S.9SLS - 9mm SLS Tethered Metric Stubby Ratchet Combination Spanner	467S.9SLS	9mm
FACOM 467S.10SLS - 10mm SLS Tethered Metric Stubby Ratchet Combination Spanner	467S.10SLS	10mm
FACOM 467S.11SLS - 11mm SLS Tethered Metric Stubby Ratchet Combination Spanner	467S.11SLS	11mm

PRODUCT NAME	CODE	SIZE
<u>FACOM 467S.12SLS - 12mm SLS Tethered Metric Stubby Ratchet Combination Spanner</u>	467S.12SLS	12mm
<u>FACOM 467S.13SLS - 13mm SLS Tethered Metric Stubby Ratchet Combination Spanner</u>	467S.13SLS	13mm
<u>FACOM 467S.14SLS - 14mm SLS Tethered Metric Stubby Ratchet Combination Spanner</u>	467S.14SLS	14mm
<u>FACOM 467S.15SLS - 15mm SLS Tethered Metric Stubby Ratchet Combination Spanner</u>	467S.15SLS	15mm
<u>FACOM 467S.16SLS - 16mm SLS Tethered Metric Stubby Ratchet Combination Spanner</u>	467S.16SLS	16mm
<u>FACOM 467S.17SLS - 17mm SLS Tethered Metric Stubby Ratchet Combination Spanner</u>	467S.17SLS	17mm

DESCRIPTION

FACOM 467S.XSLSM - SLS Tethered Metric Stubby Ratchet Combination Spanner

Features

Tool equipped with a FACOM SLS attachment solution preventing any risk of accidental falls
The crimped sliding cable solution selected and tested by FACOM maintains user ergonomics (8 - 30mm wrenches)

Extra-short handle ratchet combination wrenches ideal in inaccessible areas

Compact ratchet mechanism and reversible by lever

Increment 5' (6' for dimension 7 + 8 + 9mm)

Ring head angled at 15'

Open end head angled at 15'

Metric sizes - 7 - 17mm

Satin chrome finish