



FACOM 202H.XSR - Non-Sparking Ball Pein Engineers Hickory Handle Hammer

202H.1/4SR, 202H.1/2SR, 202H.1SR, 202H.1P1/4SR, 202H.1P1/2SR, 202H.2SR

PRODUCT NAME	CODE	SIZE
FACOM 202H.1/4SR - 400g Non-Sparking Ball Pein Engineers Hickory Handle Hammer	202H.1/4SR	400g
FACOM 202H.1/2SR - 500g Non-Sparking Ball Pein Engineers Hickory Handle Hammer	202H.1/2SR	500g
FACOM 202H.1SR - 680g Non-Sparking Ball Pein Engineers Hickory Handle Hammer	202H.1SR	680g
FACOM 202H.1P1/4SR - 950g Non-Sparking Ball Pein Engineers Hickory Handle Hammer	202H.1P1/4SR	950g
FACOM 202H.1P1/2SR - 1200g Non-Sparking Ball Pein Engineers Hickory Handle Hammer	202H.1P1/2SR	1200g

PRODUCT NAME	CODE	SIZE
<u>FACOM 202H.2SR - 1500g Non-Sparking Ball Pein Engineers Hickory Handle Hammer</u>	202H.2SR	1500g

DESCRIPTION

FACOM 202H.XSR - Non-Sparking Ball Pein Engineers Hickory Handle Hammer

Features

Special non sparking and anti-magnetic Copper-Beryllium alloy

For safety purposes FACOM uses wooden handles to prevent any risk of sparks

This is not the case of certain bi-material plastic handles

To avoid any risk of sparks the design of the hammer heads is specific without sharp edges

FACOM has determined the composition of the Cu-Be alloy as well as its specific treatment according to the use of each tool

In addition to its non sparking properties the Cu-Be alloy is also anti-magnetic and highly corrosion resistant

Having a lower density it also significantly reduces user fatigue

FACOM ADF tools have been designed in accordance with the most widely used dimensional standards or adapted to perform the tools main functions