



## FACOM 82H.XSRU - Non-Sparking Inch Hex Key



82H.1/16SR, 82H.5/64SR, 82H.3/32SR, 82H.7/64SR, 82H.1/8SR, 82H.9/64SR, 82H.5/32SR, 82H.3/16SR, 82H.7/32SR, 82H.1/4SR, 82H.9/32SR, 82H.5/16SR, 82H.11/32SR, 82H.3/8SR, 82H.7/16SR, 82H.1/2SR, 82H.9/16SR, 82H.5/8SR, 82H.11/16SR, 82H.3/4SR, 82H.13/16SR, 82H.7/8SR, 82H.15/16SR, 82H.1PSR, 82H.1P1/16SR, 82H.1P1/8SR, 82H.1P3/16SR, 82H.1P1/4SR, 82H.1P7/16SR, 82H.1P5/8SR

| PRODUCT NAME                                                       | CODE       | SIZE  |
|--------------------------------------------------------------------|------------|-------|
| <a href="#">FACOM 82H.1/16SR - 1/16" Non-Sparking Inch Hex Key</a> | 82H.1/16SR | 1/16" |
| <a href="#">FACOM 82H.5/64SR - 5/64" Non-Sparking Inch Hex Key</a> | 82H.5/64SR | 5/64" |
| <a href="#">FACOM 82H.3/32SR - 3/32" Non-Sparking Inch Hex Key</a> | 82H.3/32SR | 3/32" |
| <a href="#">FACOM 82H.7/64SR - 7/64" Non-Sparking Inch Hex Key</a> | 82H.7/64SR | 7/64" |
| <a href="#">FACOM 82H.1/8SR - 1/8" Non-Sparking Inch Hex Key</a>   | 82H.1/8SR  | 1/8"  |
| <a href="#">FACOM 82H.9/64SR - 9/64" Non-Sparking Inch Hex Key</a> | 82H.9/64SR | 9/64" |
| <a href="#">FACOM 82H.5/32SR - 5/32" Non-Sparking Inch Hex Key</a> | 82H.5/32SR | 5/32" |

| PRODUCT NAME                                                                | CODE        | SIZE   |
|-----------------------------------------------------------------------------|-------------|--------|
| <a href="#"><u>FACOM 82H.3/16SR - 3/16" Non-Sparking Inch Hex Key</u></a>   | 82H.3/16SR  | 3/16"  |
| <a href="#"><u>FACOM 82H.7/32SR - 7/32" Non-Sparking Inch Hex Key</u></a>   | 82H.7/32SR  | 7/32"  |
| <a href="#"><u>FACOM 82H.1/4SR - 1/4" Non-Sparking Inch Hex Key</u></a>     | 82H.1/4SR   | 1/4"   |
| <a href="#"><u>FACOM 82H.9/32SR - 9/32" Non-Sparking Inch Hex Key</u></a>   | 82H.9/32SR  | 9/32"  |
| <a href="#"><u>FACOM 82H.5/16SR - 5/16" Non-Sparking Inch Hex Key</u></a>   | 82H.5/16SR  | 5/16"  |
| <a href="#"><u>FACOM 82H.11/32SR - 11/32" Non-Sparking Inch Hex Key</u></a> | 82H.11/32SR | 11/32" |
| <a href="#"><u>FACOM 82H.3/8SR - 3/8" Non-Sparking Inch Hex Key</u></a>     | 82H.3/8SR   | 3/8"   |
| <a href="#"><u>FACOM 82H.7/16SR - 7/16" Non-Sparking Inch Hex Key</u></a>   | 82H.7/16SR  | 7/16"  |
| <a href="#"><u>FACOM 82H.1/2SR - 1/2" Non-Sparking Inch Hex Key</u></a>     | 82H.1/2SR   | 1/2"   |
| <a href="#"><u>FACOM 82H.9/16SR - 9/16" Non-Sparking Inch Hex Key</u></a>   | 82H.9/16SR  | 9/16"  |
| <a href="#"><u>FACOM 82H.5/8SR - 5/8" Non-Sparking Inch Hex Key</u></a>     | 82H.5/8SR   | 5/8"   |
| <a href="#"><u>FACOM 82H.11/16SR - 11/16" Non-Sparking Inch Hex Key</u></a> | 82H.11/16SR | 11/16" |
| <a href="#"><u>FACOM 82H.3/4SR - 3/4" Non-Sparking Inch Hex Key</u></a>     | 82H.3/4SR   | 3/4"   |
| <a href="#"><u>FACOM 82H.13/16SR - 13/16" Non-Sparking Inch Hex Key</u></a> | 82H.13/16SR | 13/16" |
| <a href="#"><u>FACOM 82H.7/8SR - 7/8" Non-Sparking Inch Hex Key</u></a>     | 82H.7/8SR   | 7/8"   |

| PRODUCT NAME                                                                                            | CODE         | SIZE    |
|---------------------------------------------------------------------------------------------------------|--------------|---------|
| <a href="#"><u>FACOM 82H.15/16SR - 15/16"</u></a><br><a href="#"><u>Non-Sparking Inch Hex Key</u></a>   | 82H.15/16SR  | 15/16"  |
| <a href="#"><u>FACOM 82H.1PSR - 1" Non-Sparking Inch Hex Key</u></a>                                    | 82H.1PSR     | 1"      |
| <a href="#"><u>FACOM 82H.1P1/16SR - 1.1/16"</u></a><br><a href="#"><u>Non-Sparking Inch Hex Key</u></a> | 82H.1P1/16SR | 1.1/16" |
| <a href="#"><u>FACOM 82H.1P1/8SR - 1.1/8"</u></a><br><a href="#"><u>Non-Sparking Inch Hex Key</u></a>   | 82H.1P1/8SR  | 1.1/8"  |
| <a href="#"><u>FACOM 82H.1P3/16SR - 1.3/16"</u></a><br><a href="#"><u>Non-Sparking Inch Hex Key</u></a> | 82H.1P3/16SR | 1.3/16" |
| <a href="#"><u>FACOM 82H.1P1/4SR - 1.1/4"</u></a><br><a href="#"><u>Non-Sparking Inch Hex Key</u></a>   | 82H.1P1/4SR  | 1.1/4"  |
| <a href="#"><u>FACOM 82H.1P7/16SR - 1.7/16"</u></a><br><a href="#"><u>Non-Sparking Inch Hex Key</u></a> | 82H.1P7/16SR | 1.7/16" |
| <a href="#"><u>FACOM 82H.1P5/8SR - 1.5/8"</u></a><br><a href="#"><u>Non-Sparking Inch Hex Key</u></a>   | 82H.1P5/8SR  | 1.5/8"  |

## DESCRIPTION

FACOM 82H.XSRU - Non-Sparking Inch Hex Key

### Features

Special non sparking and anti-magnetic Copper-Beryllium alloy

Inch sizes - 1/16 - 1"5/8

FACOM has determined the composition of the Cu-Be alloy as well as its specific treatment according to the use of each tool

In addition to its non sparking properties the Cu-Be alloy is also anti-magnetic and highly corrosion resistant

Having a lower density it also significantly reduces user fatigue

FACOM ADF tools have been designed in accordance with the most widely used dimensional standards or adapted to perform the tools main functions