





FACOM ANXSR - Non-Sparking Slotted Flared Wooden Handle Screwdriver

AN3X75SR, AN4.5X50SR, AN4X75SR, AN5X100SR, AN6X100SR, AN8X150SR, AN8X200SR, AN10X300SR, AN11X350SR, AN12X400SR

PRODUCT NAME	CODE	SIZE
FACOM AN3X75SR - 3x75mm Non-Sparking Slotted Flared Wooden Handle Screwdriver	AN3X75SR	3x75mm
FACOM AN4.5X50SR - 4.5x50mm Non-Sparking Slotted Flared Wooden Handle Screwdriver	AN4.5X50SR	4.5x50mm
FACOM AN4X75SR - 4x75mm Non-Sparking Slotted Flared Wooden Handle Screwdriver	AN4X75SR	4x75mm
FACOM AN5X100SR - 5x100mm Non-Sparking Slotted Flared Wooden Handle Screwdriver	AN5X100SR	5x100mm
FACOM AN6X100SR - 6x100mm Non-Sparking Slotted Flared Wooden Handle Screwdriver	AN6X100SR	6x100mm

PRODUCT NAME	CODE	SIZE
FACOM AN8X150SR - 8x150mm Non-Sparking Slotted Flared Wooden Handle Screwdriver	AN8X150SR	8x150mm
FACOM AN8X200SR - 8x200mm Non-Sparking Slotted Flared Wooden Handle Screwdriver	AN8X200SR	8x200mm
FACOM AN10X300SR - 10x300mm Non-Sparking Slotted Flared Wooden Handle Screwdriver	AN10X300SR	10x300mm
FACOM AN11X350SR - 11x350mm Non-Sparking Slotted Flared Wooden Handle Screwdriver	AN11X350SR	11x350mm
FACOM AN12X400SR - 12x400mm Non-Sparking Slotted Flared Wooden Handle Screwdriver	AN12X400SR	12x400mm

DESCRIPTION

FACOM ANXSR - Non-Sparking Slotted Flared Wooden Handle Screwdriver

Features

Special non sparking and anti-magnetic Copper-Beryllium alloy

For safety purposes FACOM uses wooden handles to prevent any risk of sparks

This is not the case of certain bi-material plastic handles

FACOM has determined the composition of the Cu-Be alloy as well as its specific treatment according to the use of each tool

In addition to its non sparking properties the Cu-Be alloy is also anti-magnetic and highly corrosion resistant

Having a lower density it also significantly reduces user fatigue

FACOM ADF tools have been designed in accordance with the most widely used dimensional standards or adapted to perform the tools main functions