



FACOM 46.XAVSEM - Insulated Metric Open Jaw
Spanner



46.8AVSE, 46.9AVSE, 46.10AVSE, 46.11AVSE, 46.12AVSE,
46.13AVSE, 46.14AVSE, 46.15AVSE, 46.16AVSE, 46.17AVSE,
46.18AVSE, 46.19AVSE, 46.21AVSE

PRODUCT NAME	CODE	SIZE
FACOM 46.8AVSE - 8mm Insulated Metric Open Jaw Spanner	46.8AVSE	8mm
FACOM 46.9AVSE - 9mm Insulated Metric Open Jaw Spanner	46.9AVSE	9mm
FACOM 46.10AVSE - 10mm Insulated Metric Open Jaw Spanner	46.10AVSE	10mm
FACOM 46.11AVSE - 11mm Insulated Metric Open Jaw Spanner	46.11AVSE	11mm
FACOM 46.12AVSE - 12mm Insulated Metric Open Jaw Spanner	46.12AVSE	12mm

PRODUCT NAME	CODE	SIZE
<u>FACOM 46.13AVSE - 13mm Insulated Metric Open Jaw Spanner</u>	46.13AVSE	13mm
<u>FACOM 46.14AVSE - 14mm Insulated Metric Open Jaw Spanner</u>	46.14AVSE	14mm
<u>FACOM 46.15AVSE - 15mm Insulated Metric Open Jaw Spanner</u>	46.15AVSE	15mm
<u>FACOM 46.16AVSE - 16mm Insulated Metric Open Jaw Spanner</u>	46.16AVSE	16mm
<u>FACOM 46.17AVSE - 17mm Insulated Metric Open Jaw Spanner</u>	46.17AVSE	17mm
<u>FACOM 46.18AVSE - 18mm Insulated Metric Open Jaw Spanner</u>	46.18AVSE	18mm
<u>FACOM 46.19AVSE - 19mm Insulated Metric Open Jaw Spanner</u>	46.19AVSE	19mm
<u>FACOM 46.21AVSE - 21mm Insulated Metric Open Jaw Spanner</u>	46.21AVSE	21mm

DESCRIPTION

FACOM 46.XAVSEM - Insulated Metric Open Jaw Spanner

Features

Insulation with safety colour coding

Metric sizes - 8 - 21mm

Technical Conformity

NF ISO 4229 - NF EN 60900 - ISO 4229 - EN 60900 - DIN 3114 - DIN EN 60900