



FACOM AR.X -Parallel Sloted Isoryl Screwdriver



AR.2X40, AR.2.5X50, AR.2.5X75, AR.3X75, AR.3.5X75,
AR.3.5X100, AR.4X100, AR.4X150, AR.5.5X100, AR.5.5X150,
AR.5.5X200, AR.6.5X100, AR.6.5X150, AR.6.5X200, AR.8X150

PRODUCT NAME	CODE	SIZE
FACOM AR.2X40 - 2x40mm Parallel Sloted Isoryl Screwdriver	AR.2X40	2x40mm
FACOM AR.2.5X50 - 2.5x50mm Parallel Sloted Isoryl Screwdriver	AR.2.5X50	2.5x50mm
FACOM AR.2.5X75 - 2.5x75mm Parallel Sloted Isoryl Screwdriver	AR.2.5X75	2.5x75mm
FACOM AR.3X75 - 3x75mm Parallel Sloted Isoryl Screwdriver	AR.3X75	3x75mm
FACOM AR.3.5X75 - 3.5x75mm Parallel Sloted Isoryl Screwdriver	AR.3.5X75	3.5x75mm

PRODUCT NAME	CODE	SIZE
<u>FACOM AR.3.5X100 - 3.5x100mm Parallel Sloted Isoryl Screwdriver</u>	AR.3.5X100	3.5x100mm
<u>FACOM AR.4X100 - 4x100mm Parallel Sloted Isoryl Screwdriver</u>	AR.4X100	4x100mm
<u>FACOM AR.4X150 - 4x150mm Parallel Sloted Isoryl Screwdriver</u>	AR.4X150	4x150mm
<u>FACOM AR.5.5X100 - 5.5x100mm Parallel Sloted Isoryl Screwdriver</u>	AR.5.5X100	5.5x100mm
<u>FACOM AR.5.5X150 - 5.5x150mm Parallel Sloted Isoryl Screwdriver</u>	AR.5.5X150	5.5x150mm
<u>FACOM AR.5.5X200 - 5.5x200mm Parallel Sloted Isoryl Screwdriver</u>	AR.5.5X200	5.5x200mm
<u>FACOM AR.6.5X100 - 6.5x100mm Parallel Sloted Isoryl Screwdriver</u>	AR.6.5X100	6.5x100mm
<u>FACOM AR.6.5X150 - 6.5x150mm Parallel Sloted Isoryl Screwdriver</u>	AR.6.5X150	6.5x150mm
<u>FACOM AR.6.5X200 - 6.5x200mm Parallel Sloted Isoryl Screwdriver</u>	AR.6.5X200	6.5x200mm
<u>FACOM AR.8X150 - 8x150mm Parallel Sloted Isoryl Screwdriver</u>	AR.8X150	8x150mm

DESCRIPTION

FACOM AR.X -Parallel Sloted Isoryl Screwdriver

Features

Round blade milled for access to the bottom of the well

Polished chrome finish

Technical Conformity

NF ISO 2380-1 - NF ISO 2380-2 - ISO 2380-1 - ISO 2380-2 - DIN ISO 2380-1 - DIN ISO 2380-2 -
ASME B107.600