



FACOM J.XCFM - 3/8" Square Drive Metric Crows Foot Flat Spanner

J.10CF, J.11CF, J.12CF, J.13CF, J.14CF, J.15CF, J.16CF,
J.17CF, J.18CF, J.19CF, J.21CF, J.22CF, J.23CF, J.24CF,
J.27CF

PRODUCT NAME	CODE	SIZE
FACOM J.10CF - 10mm 3/8" Square Drive Metric Crows Foot Flat Spanner	J.10CF	10mm
FACOM J.11CF - 11mm 3/8" Square Drive Metric Crows Foot Flat Spanner	J.11CF	11mm
FACOM J.12CF - 12mm 3/8" Square Drive Metric Crows Foot Flat Spanner	J.12CF	12mm
FACOM J.13CF - 13mm 3/8" Square Drive Metric Crows Foot Flat Spanner	J.13CF	13mm
FACOM J.14CF - 14mm 3/8" Square Drive Metric Crows Foot Flat Spanner	J.14CF	14mm

PRODUCT NAME	CODE	SIZE
<u>FACOM J.15CF - 15mm 3/8"</u> <u>Square Drive Metric Crows Foot</u> <u>Flat Spanner</u>	J.15CF	15mm
<u>FACOM J.16CF - 16mm 3/8"</u> <u>Square Drive Metric Crows Foot</u> <u>Flat Spanner</u>	J.16CF	16mm
<u>FACOM J.17CF - 17mm 3/8"</u> <u>Square Drive Metric Crows Foot</u> <u>Flat Spanner</u>	J.17CF	17mm
<u>FACOM J.18CF - 18mm 3/8"</u> <u>Square Drive Metric Crows Foot</u> <u>Flat Spanner</u>	J.18CF	18mm
<u>FACOM J.19CF - 19mm 3/8"</u> <u>Square Drive Metric Crows Foot</u> <u>Flat Spanner</u>	J.19CF	19mm
<u>FACOM J.21CF - 21mm 3/8"</u> <u>Square Drive Metric Crows Foot</u> <u>Flat Spanner</u>	J.21CF	21mm
<u>FACOM J.22CF - 22mm 3/8"</u> <u>Square Drive Metric Crows Foot</u> <u>Flat Spanner</u>	J.22CF	22mm
<u>FACOM J.23CF - 23mm 3/8"</u> <u>Square Drive Metric Crows Foot</u> <u>Flat Spanner</u>	J.23CF	23mm
<u>FACOM J.24CF - 24mm 3/8"</u> <u>Square Drive Metric Crows Foot</u> <u>Flat Spanner</u>	J.24CF	24mm
<u>FACOM J.27CF - 27mm 3/8"</u> <u>Square Drive Metric Crows Foot</u> <u>Flat Spanner</u>	J.27CF	27mm

DESCRIPTION

FACOM J.XCFM - 3/8" Square Drive Metric Crows Foot Flat Spanner

Features

Anti-slip design ensuring proper fitting on the fastener

Shaped to distribute the contact force over a larger surface

Suitable for use in confined spaces

Adapted too low torque uses

Bright chrome finish

Metric sizes - 8 - 32mm

Technical Conformity

ASME B107.100