



FACOM J.XLAM - 3/8" Square Drive Metric 12pt Long Socket

J.7LA, J.8LA, J.9LA, J.10LA, J.11LA, J.12LA, J.13LA, J.14LA, J.15LA, J.16LA, J.17LA, J.18LA, J.19LA, J.21LA, J.22LA, J.24LA

PRODUCT NAME	CODE	SIZE
FACOM J.7LA - 7mm 3/8" Square Drive Metric 12pt Long Socket	J.7LA	7mm
FACOM J.8LA - 8mm 3/8" Square Drive Metric 12pt Long Socket	J.8LA	8mm
FACOM J.9LA - 9mm 3/8" Square Drive Metric 12pt Long Socket	J.9LA	9mm
FACOM J.10LA - 10mm 3/8" Square Drive Metric 12pt Long Socket	J.10LA	10mm
FACOM J.11LA - 11mm 3/8" Square Drive Metric 12pt Long Socket	J.11LA	11mm

PRODUCT NAME	CODE	SIZE
<u>FACOM J.12LA - 12mm 3/8"</u> <u>Square Drive Metric 12pt Long</u> <u>Socket</u>	J.12LA	12mm
<u>FACOM J.13LA - 13mm 3/8"</u> <u>Square Drive Metric 12pt Long</u> <u>Socket</u>	J.13LA	13mm
<u>FACOM J.14LA - 14mm 3/8"</u> <u>Square Drive Metric 12pt Long</u> <u>Socket</u>	J.14LA	14mm
<u>FACOM J.15LA - 15mm 3/8"</u> <u>Square Drive Metric 12pt Long</u> <u>Socket</u>	J.15LA	15mm
<u>FACOM J.16LA - 16mm 3/8"</u> <u>Square Drive Metric 12pt Long</u> <u>Socket</u>	J.16LA	16mm
<u>FACOM J.17LA - 17mm 3/8"</u> <u>Square Drive Metric 12pt Long</u> <u>Socket</u>	J.17LA	17mm
<u>FACOM J.18LA - 18mm 3/8"</u> <u>Square Drive Metric 12pt Long</u> <u>Socket</u>	J.18LA	18mm
<u>FACOM J.19LA - 19mm 3/8"</u> <u>Square Drive Metric 12pt Long</u> <u>Socket</u>	J.19LA	19mm
<u>FACOM J.21LA - 21mm 3/8"</u> <u>Square Drive Metric 12pt Long</u> <u>Socket</u>	J.21LA	21mm
<u>FACOM J.22LA - 22mm 3/8"</u> <u>Square Drive Metric 12pt Long</u> <u>Socket</u>	J.22LA	22mm
<u>FACOM J.24LA - 24mm 3/8"</u> <u>Square Drive Metric 12pt Long</u> <u>Socket</u>	J.24LA	24mm

DESCRIPTION

FACOM J.XLAM - 3/8" Square Drive Metric 12pt Long Socket

Features

OGV profile - more powerful tightening - preserves fasteners

Long-reach sockets for long recess or thread access

Bright chrome finish

Metric sizes - 7 - 24mm

Technical Conformity

NF ISO 2725-1 - NF ISO 1711-1 - ISO 2725-1 - ISO 1711-1 - DIN 3124 - ASME B107.5