



FACOM 99C.XM - Metric T-Handle Hinged Socket Spanner

99C.7, 99C.8, 99C.9, 99C.10, 99C.11, 99C.12, 99C.13, 99C.14, 99C.15, 99C.16, 99C.17, 99C.18, 99C.19

PRODUCT NAME	CODE	SIZE
FACOM 99C.7 - 7mm Metric T-Handle Hinged Socket Spanner	99C.7	7mm
FACOM 99C.8 - 8mm Metric T-Handle Hinged Socket Spanner	99C.8	8mm
FACOM 99C.9 - 9mm Metric T-Handle Hinged Socket Spanner	99C.9	9mm
FACOM 99C.10 - 10mm Metric T-Handle Hinged Socket Spanner	99C.10	10mm
FACOM 99C.11 - 11mm Metric T-Handle Hinged Socket Spanner	99C.11	11mm
FACOM 99C.12 - 12mm Metric T-Handle Hinged Socket Spanner	99C.12	12mm

PRODUCT NAME	CODE	SIZE
<u>FACOM 99C.13 - 13mm Metric T-Handle Hinged Socket Spanner</u>	99C.13	13mm
<u>FACOM 99C.14 - 14mm Metric T-Handle Hinged Socket Spanner</u>	99C.14	14mm
<u>FACOM 99C.15 - 15mm Metric T-Handle Hinged Socket Spanner</u>	99C.15	15mm
<u>FACOM 99C.16 - 16mm Metric T-Handle Hinged Socket Spanner</u>	99C.16	16mm
<u>FACOM 99C.17 - 17mm Metric T-Handle Hinged Socket Spanner</u>	99C.17	17mm
<u>FACOM 99C.18 - 18mm Metric T-Handle Hinged Socket Spanner</u>	99C.18	18mm
<u>FACOM 99C.19 - 19mm Metric T-Handle Hinged Socket Spanner</u>	99C.19	19mm

DESCRIPTION

FACOM 99C.XM - Metric T-Handle Hinged Socket Spanner

Features

Universal joint tee handle socket wrenches

The universal joint allows a working angle allowing better access

The socket is held in position tanks spring locking

Metric size - 6 - 19mm

Satin chrome and polished chrome for the socket

Technical Conformity

NF ISO 2236 - NF ISO 691 - ISO 2236 - ISO 691 - DIN 896 - DIN ISO 691