



FACOM 34.XM - Metric Stubby Offset Open Jaw Spanner



34.3.2, 34.4, 34.5, 34.5.5, 34.6, 34.7, 34.8, 34.9, 34.10, 34.11, 34.12, 34.13, 34.14, 34.15, 34.16, 34.17

PRODUCT NAME	CODE	SIZE
FACOM 34.3.2 - 3.2mm Metric Stubby Offset Open Jaw Spanner	34.3.2	3.2mm
FACOM 34.4 - 4mm Metric Stubby Offset Open Jaw Spanner	34.4	4mm
FACOM 34.5 - 5mm Metric Stubby Offset Open Jaw Spanner	34.5	5mm
FACOM 34.5.5 - 5.5mm Metric Stubby Offset Open Jaw Spanner	34.5.5	5.5mm
FACOM 34.6 - 6mm Metric Stubby Offset Open Jaw Spanner	34.6	6mm

PRODUCT NAME	CODE	SIZE
<u>FACOM 34.7 - 7mm Metric Stubby Offset Open Jaw Spanner</u>	34.7	7mm
<u>FACOM 34.8 - 8mm Metric Stubby Offset Open Jaw Spanner</u>	34.8	8mm
<u>FACOM 34.9 - 9mm Metric Stubby Offset Open Jaw Spanner</u>	34.9	9mm
<u>FACOM 34.10 - 10mm Metric Stubby Offset Open Jaw Spanner</u>	34.10	10mm
<u>FACOM 34.11 - 11mm Metric Stubby Offset Open Jaw Spanner</u>	34.11	11mm
<u>FACOM 34.12 - 12mm Metric Stubby Offset Open Jaw Spanner</u>	34.12	12mm
<u>FACOM 34.13 - 13mm Metric Stubby Offset Open Jaw Spanner</u>	34.13	13mm
<u>FACOM 34.14 - 14mm Metric Stubby Offset Open Jaw Spanner</u>	34.14	14mm
<u>FACOM 34.15 - 15mm Metric Stubby Offset Open Jaw Spanner</u>	34.15	15mm
<u>FACOM 34.16 - 16mm Metric Stubby Offset Open Jaw Spanner</u>	34.16	16mm
<u>FACOM 34.17 - 17mm Metric Stubby Offset Open Jaw Spanner</u>	34.17	17mm

DESCRIPTION

FACOM 34.XM - Metric Stubby Offset Open Jaw Spanner

Features

Midget open end wrenches. Short shank and slim heads for manoeuvrability in confined spaces

Heads hinged at 15° and 75° allow to intervene on nuts inaccessible with a standard wrench

Metric sizes - 3.2 - 17mm

Satin chrome finish

Technical Conformity

NF ISO 3318 - NF ISO 691 - ISO 3318 - ISO 691 - DIN ISO 691