



FACOM 44.XM - Metric Open Jaw Spanner



44.3.2X5.5, 44.4X5, 44.6X7, 44.8X9, 44.8X10, 44.10X11, 44.10X13, 44.12X13, 44.12X14, 44.14X15, 44.13X17, 44.16X17, 44.16X18, 44.17X19, 44.18X19, 44.19X22, 44.20X22, 44.21X23, 44.22X24, 44.24X27, 44.25X28, 44.26X28, 44.27X29, 44.27X30, 44.30X32, 44.34X36, 44.36X41, 44.38X42

PRODUCT NAME	CODE	SIZE
FACOM 44.3.2X5.5 - 3.2x5.5mm Metric Open Jaw Spanner	44.3.2X5.5	3.2x5.5mm
FACOM 44.4X5 - 4x5mm Metric Open Jaw Spanner	44.4X5	4x5mm
FACOM 44.6X7 - 6x7mm Metric Open Jaw Spanner	44.6X7	6x7mm
FACOM 44.8X9 - 8x9mm Metric Open Jaw Spanner	44.8X9	8x9mm
FACOM 44.8X10 - 8x10mm Metric Open Jaw Spanner	44.8X10	8x10mm
FACOM 44.10X11 - 10x11mm Metric Open Jaw Spanner	44.10X11	10x11mm
FACOM 44.10X13 - 10x13mm Metric Open Jaw Spanner	44.10X13	10x13mm

PRODUCT NAME	CODE	SIZE
<u>FACOM 44.12X13 - 12x13mm Metric Open Jaw Spanner</u>	44.12X13	12x13mm
<u>FACOM 44.12X14 - 12x14mm Metric Open Jaw Spanner</u>	44.12X14	12x14mm
<u>FACOM 44.14X15 - 14x15mm Metric Open Jaw Spanner</u>	44.14X15	14x15mm
<u>FACOM 44.13X17 - 13x17mm Metric Open Jaw Spanner</u>	44.13X17	13x17mm
<u>FACOM 44.16X17 - 16x17mm Metric Open Jaw Spanner</u>	44.16X17	16x17mm
<u>FACOM 44.16X18 - 16x18mm Metric Open Jaw Spanner</u>	44.16X18	16x18mm
<u>FACOM 44.17X19 - 17x19mm Metric Open Jaw Spanner</u>	44.17X19	17x19mm
<u>FACOM 44.18X19 - 18x19mm Metric Open Jaw Spanner</u>	44.18X19	18x19mm
<u>FACOM 44.19X22 - 19x22mm Metric Open Jaw Spanner</u>	44.19X22	19x22mm
<u>FACOM 44.20X22 - 20x22mm Metric Open Jaw Spanner</u>	44.20X22	20x22mm
<u>FACOM 44.21X23 - 21x23mm Metric Open Jaw Spanner</u>	44.21X23	21x23mm
<u>FACOM 44.22X24 - 22x24mm Metric Open Jaw Spanner</u>	44.22X24	22x24mm
<u>FACOM 44.24X27 - 24x27mm Metric Open Jaw Spanner</u>	44.24X27	24x27mm
<u>FACOM 44.25X28 - 25x28mm Metric Open Jaw Spanner</u>	44.25X28	25x28mm
<u>FACOM 44.26X28 - 26x28mm Metric Open Jaw Spanner</u>	44.26X28	26x28mm

PRODUCT NAME	CODE	SIZE
<u>FACOM 44.27X29 - 27x29mm Metric Open Jaw Spanner</u>	44.27X29	27x29mm
<u>FACOM 44.27X30 - 27x30mm Metric Open Jaw Spanner</u>	44.27X30	27x30mm
<u>FACOM 44.30X32 - 30x32mm Metric Open Jaw Spanner</u>	44.30X32	30x32mm
<u>FACOM 44.34X36 - 34x36mm Metric Open Jaw Spanner</u>	44.34X36	34x36mm
<u>FACOM 44.36X41 - 36x41mm Metric Open Jaw Spanner</u>	44.36X41	36x41mm
<u>FACOM 44.38X42 - 38x42mm Metric Open Jaw Spanner</u>	44.38X42	38x42mm

DESCRIPTION

FACOM 44.XM - Metric Open Jaw Spanner

Features

Open end wrenches - the open ends are slimmer than a standard combination wrench for better thickness accessibility - examples - brake callipers - hydraulic hose locknuts

Heads hinged at 15°

Metric sizes - 3.2 - 42mm

Satin chrome finish

Technical Conformity

NF ISO 10102 - NF ISO 3318 - NF ISO 1711-1 - NF ISO 691 - ISO 10102 - ISO 3318 - ISO 1711-1 - ISO 691 - DIN ISO 1711-1 - DIN ISO 691 - DIN 3110