



EXPERT by FACOM E55A.XM - Metric Deep Offset Ring Spanner

E113321, E113322, E111501, E113323, E113324, E113364, E113325, E113326, E113366, E111500, E111502, E113328, E113730, E113329, E111503, E113367, E113368, E113369, E117376

PRODUCT NAME	CODE	SIZE
EXPERT by FACOM E113321 - 6x7mm Metric Deep Offset Ring Spanner	E113321	6x7mm
EXPERT by FACOM E113322 - 8x9mm Metric Deep Offset Ring Spanner	E113322	8x9mm
EXPERT by FACOM E111501 - 8x10mm Metric Deep Offset Ring Spanner	E111501	8x10mm
EXPERT by FACOM E113323 - 10x11mm Metric Deep Offset Ring Spanner	E113323	10x11mm
EXPERT by FACOM E113324 - 12x13mm Metric Deep Offset Ring Spanner	E113324	12x13mm

PRODUCT NAME	CODE	SIZE
<u>EXPERT by FACOM E113364 - 13x17mm Metric Deep Offset Ring Spanner</u>	E113364	13x17mm
<u>EXPERT by FACOM E113325 - 14x15mm Metric Deep Offset Ring Spanner</u>	E113325	14x15mm
<u>EXPERT by FACOM E113326 - 16x17mm Metric Deep Offset Ring Spanner</u>	E113326	16x17mm
<u>EXPERT by FACOM E113366 - 17x19mm Metric Deep Offset Ring Spanner</u>	E113366	17x19mm
<u>EXPERT by FACOM E111500 - 18x19mm Metric Deep Offset Ring Spanner</u>	E111500	18x19mm
<u>EXPERT by FACOM E111502 - 19x22mm Metric Deep Offset Ring Spanner</u>	E111502	19x22mm
<u>EXPERT by FACOM E113328 - 20x22mm Metric Deep Offset Ring Spanner</u>	E113328	20x22mm
<u>EXPERT by FACOM E113730 - 21x23mm Metric Deep Offset Ring Spanner</u>	E113730	21x23mm
<u>EXPERT by FACOM E113329 - 22x24mm Metric Deep Offset Ring Spanner</u>	E113329	22x24mm
<u>EXPERT by FACOM E111503 - 24x27mm Metric Deep Offset Ring Spanner</u>	E111503	24x27mm
<u>EXPERT by FACOM E113367 - 25x28mm Metric Deep Offset Ring Spanner</u>	E113367	25x28mm

PRODUCT NAME	CODE	SIZE
<u>EXPERT by FACOM E113368 - 27x29mm Metric Deep Offset Ring Spanner</u>	E113368	27x29mm
<u>EXPERT by FACOM E113369 - 27x30mm Metric Deep Offset Ring Spanner</u>	E113369	27x30mm
<u>EXPERT by FACOM E117376 - 30x32mm Metric Deep Offset Ring Spanner</u>	E117376	30x32mm

DESCRIPTION

EXPERT by FACOM E55A.XM - Metric Deep Offset Ring Spanner

Features

12-point OGV® ring wrenches offset by 70° for better access to recessed nuts
 OGV® Ring profile maximising contact surface with the nut for a longer lifetime

Forged in chrome vanadium steel

High chrome finish

Metric sizes - 6 - 32mm

Technical Conformity

ISO 691 - ISO 1711 - 1 - ISO 3318 - ISO 10104 - DIN 838