



FACOM 41.XM - Metric Offset Combination
Spanner



41.6, 41.7, 41.8, 41.9, 41.10, 41.11, 41.12, 41.13, 41.14, 41.15,
41.16, 41.17, 41.18, 41.19, 41.21, 41.22, 41.23, 41.24, 41.26,
41.27, 41.28, 41.29, 41.30, 41.32

PRODUCT NAME	CODE	SIZE
FACOM 41.6 - 6mm Metric Offset Combination Spanner	41.6	6mm
FACOM 41.7 - 7mm Metric Offset Combination Spanner	41.7	7mm
FACOM 41.8 - 8mm Metric Offset Combination Spanner	41.8	8mm
FACOM 41.9 - 9mm Metric Offset Combination Spanner	41.9	9mm
FACOM 41.10 - 10mm Metric Offset Combination Spanner	41.10	10mm
FACOM 41.11 - 11mm Metric Offset Combination Spanner	41.11	11mm
FACOM 41.12 - 12mm Metric Offset Combination Spanner	41.12	12mm

PRODUCT NAME	CODE	SIZE
<u>FACOM 41.13 - 13mm Metric Offset Combination Spanner</u>	41.13	13mm
<u>FACOM 41.14 - 14mm Metric Offset Combination Spanner</u>	41.14	14mm
<u>FACOM 41.15 - 15mm Metric Offset Combination Spanner</u>	41.15	15mm
<u>FACOM 41.16 - 16mm Metric Offset Combination Spanner</u>	41.16	16mm
<u>FACOM 41.17 - 17mm Metric Offset Combination Spanner</u>	41.17	17mm
<u>FACOM 41.18 - 18mm Metric Offset Combination Spanner</u>	41.18	18mm
<u>FACOM 41.19 - 19mm Metric Offset Combination Spanner</u>	41.19	19mm
<u>FACOM 41.21 - 21mm Metric Offset Combination Spanner</u>	41.21	21mm
<u>FACOM 41.22 - 22mm Metric Offset Combination Spanner</u>	41.22	22mm
<u>FACOM 41.23 - 23mm Metric Offset Combination Spanner</u>	41.23	23mm
<u>FACOM 41.24 - 24mm Metric Offset Combination Spanner</u>	41.24	24mm
<u>FACOM 41.26 - 26mm Metric Offset Combination Spanner</u>	41.26	26mm
<u>FACOM 41.27 - 27mm Metric Offset Combination Spanner</u>	41.27	27mm
<u>FACOM 41.28 - 28mm Metric Offset Combination Spanner</u>	41.28	28mm
<u>FACOM 41.29 - 29mm Metric Offset Combination Spanner</u>	41.29	29mm

PRODUCT NAME	CODE	SIZE
<u>FACOM 41.30 - 30mm Metric Offset Combination Spanner</u>	41.30	30mm
<u>FACOM 41.32 - 32mm Metric Offset Combination Spanner</u>	41.32	32mm

DESCRIPTION

FACOM 41.XM - Metric Offset Combination Spanner

Features

Offset combination wrenches. Ring offset to clear fingers or obstacles. Ideal for series of nuts
 OGV profile with 12-point ring for powerful tightening while protecting the nut
 Open end head angled at 15'
 Metric sizes - 6 - 32mm
 Satin chrome finish

Technical Conformity

NF ISO 7738 - ISO 7738 - DIN 3113