



FACOM NSS.XAM - 1/2" Square Drive Stubby Metric 6pt Impact Socket

NSS.10A, NSS.13A, NSS.14A, NSS.15A, NSS.16A, NSS.17A,
NSS.18A, NSS.19A, NSS.21A, NSS.22A, NSS.24A, NSS.27A

PRODUCT NAME	CODE	SIZE
FACOM NSS.10A - 10mm 1/2" Square Drive Stubby Metric 6pt Impact Socket	NSS.10A	10mm
FACOM NSS.13A - 13mm 1/2" Square Drive Stubby Metric 6pt Impact Socket	NSS.13A	13mm
FACOM NSS.14A - 14mm 1/2" Square Drive Stubby Metric 6pt Impact Socket	NSS.14A	14mm
FACOM NSS.15A - 15mm 1/2" Square Drive Stubby Metric 6pt Impact Socket	NSS.15A	15mm
FACOM NSS.16A - 16mm 1/2" Square Drive Stubby Metric 6pt Impact Socket	NSS.16A	16mm

PRODUCT NAME	CODE	SIZE
<u>FACOM NSS.17A - 17mm 1/2"</u> <u>Square Drive Stubby Metric 6pt</u> <u>Impact Socket</u>	NSS.17A	17mm
<u>FACOM NSS.18A - 18mm 1/2"</u> <u>Square Drive Stubby Metric 6pt</u> <u>Impact Socket</u>	NSS.18A	18mm
<u>FACOM NSS.19A - 19mm 1/2"</u> <u>Square Drive Stubby Metric 6pt</u> <u>Impact Socket</u>	NSS.19A	19mm
<u>FACOM NSS.21A - 21mm 1/2"</u> <u>Square Drive Stubby Metric 6pt</u> <u>Impact Socket</u>	NSS.21A	21mm
<u>FACOM NSS.22A - 22mm 1/2"</u> <u>Square Drive Stubby Metric 6pt</u> <u>Impact Socket</u>	NSS.22A	22mm
<u>FACOM NSS.24A - 24mm 1/2"</u> <u>Square Drive Stubby Metric 6pt</u> <u>Impact Socket</u>	NSS.24A	24mm
<u>FACOM NSS.27A - 27mm 1/2"</u> <u>Square Drive Stubby Metric 6pt</u> <u>Impact Socket</u>	NSS.27A	27mm

DESCRIPTION

FACOM NSS.XAM - 1/2" Square Drive Stubby Metric 6pt Impact Socket

Features

New Stubby Impact socket design gives greater accessibility in tight or hard to reach applications due to 25% shorter length

Chrome Molybdenum steel tempered with heat treatment

Cross hole design prevents unintentional separation of adapter and socket

Coated with manganese phosphate for higher protection and corrosion resistance

Sizes - 10 - 27mm