



FACOM S.XGRPM - 1/2" Square Drive Metric OGV Grip 6pt Socket

S.8GRP, S.10GRP, S.11GRP, S.12GRP, S.13GRP, S.14GRP,
S.15GRP, S.16GRP, S.17GRP, S.18GRP, S.19GRP, S.21GRP,
S.22GRP, S.24GRP, S.27GRP, S.30GRP, S.32GRP

PRODUCT NAME	CODE	SIZE
FACOM S.8GRP - 8mm 1/2" Square Drive Metric OGV Grip 6pt Socket	S.8GRP	8mm
FACOM S.10GRP - 10mm 1/2" Square Drive Metric OGV Grip 6pt Socket	S.10GRP	10mm
FACOM S.11GRP - 11mm 1/2" Square Drive Metric OGV Grip 6pt Socket	S.11GRP	11mm
FACOM S.12GRP - 12mm 1/2" Square Drive Metric OGV Grip 6pt Socket	S.12GRP	12mm
FACOM S.13GRP - 13mm 1/2" Square Drive Metric OGV Grip 6pt Socket	S.13GRP	13mm

PRODUCT NAME	CODE	SIZE
<u>FACOM S.14GRP - 14mm 1/2"</u> <u>Square Drive Metric OGV Grip</u> <u>6pt Socket</u>	S.14GRP	14mm
<u>FACOM S.15GRP - 15mm 1/2"</u> <u>Square Drive Metric OGV Grip</u> <u>6pt Socket</u>	S.15GRP	15mm
<u>FACOM S.16GRP - 16mm 1/2"</u> <u>Square Drive Metric OGV Grip</u> <u>6pt Socket</u>	S.16GRP	16mm
<u>FACOM S.17GRP - 17mm 1/2"</u> <u>Square Drive Metric OGV Grip</u> <u>6pt Socket</u>	S.17GRP	17mm
<u>FACOM S.18GRP - 18mm 1/2"</u> <u>Square Drive Metric OGV Grip</u> <u>6pt Socket</u>	S.18GRP	18mm
<u>FACOM S.19GRP - 19mm 1/2"</u> <u>Square Drive Metric OGV Grip</u> <u>6pt Socket</u>	S.19GRP	19mm
<u>FACOM S.21GRP - 21mm 1/2"</u> <u>Square Drive Metric OGV Grip</u> <u>6pt Socket</u>	S.21GRP	21mm
<u>FACOM S.22GRP - 22mm 1/2"</u> <u>Square Drive Metric OGV Grip</u> <u>6pt Socket</u>	S.22GRP	22mm
<u>FACOM S.24GRP - 24mm 1/2"</u> <u>Square Drive Metric OGV Grip</u> <u>6pt Socket</u>	S.24GRP	24mm
<u>FACOM S.27GRP - 27mm 1/2"</u> <u>Square Drive Metric OGV Grip</u> <u>6pt Socket</u>	S.27GRP	27mm
<u>FACOM S.30GRP - 30mm 1/2"</u> <u>Square Drive Metric OGV Grip</u> <u>6pt Socket</u>	S.30GRP	30mm

PRODUCT NAME	CODE	SIZE
FACOM S.32GRP - 32mm 1/2" Square Drive Metric OGV Grip 6pt Socket	S.32GRP	32mm

DESCRIPTION

FACOM S.XGRPM - 1/2" Square Drive Metric OGV Grip 6pt Socket

Features

OGV grip profile - more powerful tightening - preserves fasteners

85% rounded fastener prevention

6 points provide higher torque & grip needed to remove rounded bolts and stuck bolts Bright chrome finish

Metric sizes - 8 - 32mm